### Roberts VII Errata: 14/11/2005

#### Page 15

To 'Endemics', add Cape Parrot, Botha's Lark From 'Endemics', delete Rufous-winged Cisticola Total endemics = 99

To '**Near-endemics**', add Southern Yellow-billed Hornbill, Rüppell's Parrot, Double-banded Sandgrouse, Southern White-crowned Shrike, Rufous-winged Cisticola, Rudd's Apalis, Spike-heeled Lark Total near-endemics = 70

### Pages 219-220 Burchell's and White-browed Coucals

There is an error here in assigning race *fasciipygialis* to White-browed rather than Burchell's Coucal. This section of the map from the White-browed Coucal map (the northern subspecies) should therefore be superimposed on the Burchell's Coucal map.

#### The distribution text for Burchell's Coucal now reads:

From se Tanzania south through Mozambique to the sw W Cape. In s Africa, in c and s Mozambique, e Zimbabwe, se Botswana, Swaziland, and most of S Africa apart from the arid west; rare in high-altitude grassland 6, 7.

#### The distribution text for White-browed Coucal now reads:

From Yemen, sw Arabia, Socotra and Ethiopia south to Angola, Zambia and s Africa. In s Africa, in nw and ne Namibia, Okavango Delta, Botswana, and Zambezi R valley, Zimbabwe below escarpment, from Mana Pools to Victoria Falls 5. 6.

#### Pages 245-246 Livingstone's and Knysna Turacos

The mapped records from e Swaziland (but not from nw Swaziland) ascribed to Knysna Lourie should be ascribed to Livingstone's Lourie (nominate race). The nw Swaziland records remain of Knysna Lourie.

# Page 304

Plate labels 1 & 2 should be reversed

#### Pages 522-523 Steppe and Forest Buzzards

Mention is made in both texts that wing extension of Forest Buzzard is shorter than that of Steppe Buzzard. However, recently supplied photographic evidence does not support this and the statement should be ignored for identification purposes.

#### Page 678 African Broadbill

The isolated population in the e Soutpansberg, Limpopo Province was excluded from both maps and text. The population extends approximately from Makhado (Louis Trichardt) east to Ka-Minga. Reference: Symes CT, Perrin MR 2000 Range extension of African Broadbill *Smithornis capensis* into Soutpansberg, Northern Province, South Africa. Bull. ABC 7:135-138.

### Page 828 Tinkling Cisticola

In recent years this species has expanded its range in w Mpumalanga and Gauteng.

### **Page 977**

Plate label 7b should read male, not female

#### Page 978 Orange-breasted Sunbird

Under 'Foraging and Food':

Leucospermum cococarpodendron should read Leucospermum conocarpodendron)

Delete Tree Pagoda M. fibriifolius

E. sessifolia should read E. sessiliflora


Liparia spherica should read Liparia splendens

### Under 'Breeding':

Brunniceae should read Bruniaceae

### **Page 985**

Malachite Sunbird map: casualty of electronic gremlins. Please find the correct Malachite Sunbird map below.



### Page 1001 Gurney's Sugarbird

Under 'Breeding':

Widdringtonia noridflora should read Widdringtonia nodiflora

# Page 1003 Cape Sugarbird

Under 'Breeding':

Protea eximea should read Protea eximia
Protea neriifloia should read Protea neriifolia
Leucodendron argenteum should read Leucadendron argenteum
Brunia nodiflora should read Brunia noduliflora
Stoebe plumose should read Stoebe plumosa

## Page 1128 Protea Seedeater

Under 'Foraging and Food'

The genus Zygophyllum has been renamed Roepera (this is likely to affect other species accounts as well – if anyone finds these, please inform us).

### Page 1056

Plate caption for African Firefinch should read P1063

# Page 1137

Plate labels 8 & 9 should be reversed

MANY THANKS to those of you who have noticed these mistakes and made us aware of them. It is likely that Roberts VII will go to a second printing in 2006, and we will use the opportunity to correct these errors. The second printing will not, however, contain any new information above and beyond error corrections.